

PRIMO CABINET HUMIDOR

SET UP INSTRUCTIONS




adorini



Deluxe Humidors & Cigar Accessories

PRODUCT FEATURES & SCOPE OF DELIVERY.....	3
PLUG IN AND CABLE CONNECTIONS.....	4
SET UP ELECTRONIC HUMIDIFIER.....	5
PRODUCT DIMENSIONS.....	6
SEASONING AND ADVERTISING PLATE.....	7
SHELVES AND TRAYS.....	8
AIR CIRCULATION.....	9
AMBIENCE LIGHTING.....	10
CARE & MAINTENANCE.....	11

NAME	PRIMO CABINET HUMIDOR
COLOUR	BLACK OR BROWN
DOOR	RIGHT-HAND HINGE
FEET	ADJUSTABLE
SHELVES	2 ×
TRAYS	3 ×
KEY	4 ×
DIVIDER LONG	12 ×
DIVIDER SHORT	6 ×
SUPPORT PEGS	20 ×
HUMIDIFIER	ELECTR. HUMIDIFIER
GROSS WEIGHT	105 kg
NET WEIGHT	95 kg
DELIVERY	FREIGHT FORWARDER BY KERBSIDE



**TWO SOCKETS REQUIRED:
YOU MAY NEED**




1) HOLE FOR CABLE ENTRY ON BACK PANEL

2) PLUG CONNECTION FOR LIGHTING

**3) PASS THE POWER CABLE FOR THE HUMIDIFIER* THROUGH ANY HOLE.
POWER CABLES INCLUDE MULTI COUNTRY ADAPTER**





***PLEASE NOTE THAT THE CABLE SUPPLIED
WITH THE HUMIDIFIER IS FOR THE
LIGHTING IN THE CABINET AND THAT THE
CABLE FOR THE HUMIDIFIER IS ATTACHED
TO ONE OF THE TRAYS IN A WHITE BOX.**



POSITION THE HUMIDIFIER IN THE CORRECT DIRECTION UNDER THE AIR HUMIDITY FEED OPENING.

FOR MORE INFORMATION ON COMMISSIONING THE HUMIDIFIER AND ITS SETTINGS, PLEASE REFER TO THE ENCLOSED OPERATING INSTRUCTIONS.






WIPE DOWN THE ENTIRE INTERIOR AND ALL WOODEN ELEMENTS WITH A DAMP CLOTH. THIS PROCESS CAN ALSO BE REPEATED.

ACRYLIC
ADVERTISING
PLATE:


WHETHER IT'S
A BRAND
NAME,
COMPANY
LOGO OR
PERSONAL
DEDICATION,
YOU CAN
CUSTOMISE
YOUR
HUMIDOR
EXACTLY AS
YOU WISH.




VARIOUS PLUG-IN OPTIONS FOR TRAYS:
STRAIGHT OR ANGLED

METAL SUPPORT PINS
FOR SHELVES AND TRAYS:
YOU MAY NEED

20 x




ITS DOUBLE REAR WALL WITH VENTILATION SLOTS ENSURES OPTIMUM CIRCULATION OF AIR HUMIDITY.
THE HUMIDIFIER DRAWS AIR INTO THE TANK AND BLOWS HUMID AIR INTO THE AIR FEED OPENING FOR THE REAR WALL VIA THE REAR FAN.



THE SHELVES AND TRAYS ARE EQUIPPED WITH INTEGRATED CONTACT SURFACES. WHEN THE SHELVES ARE INSERTED, THE ELECTRICAL CONNECTION IS ESTABLISHED AUTOMATICALLY, ACTIVATING AND ILLUMINATING EACH SHELF INDIVIDUALLY.

TO ENSURE RELIABLE CONTACT AND CONSISTENT ILLUMINATION, THE TRAYS MUST REST FIRMLY ON THE CONTACT SURFACES. THIS IS ACHIEVED WHEN THE TRAYS ARE FILLED, GUARANTEEING THAT THE LIGHTING FUNCTIONS PROPERLY.

THE RESULT IS A HARMONIOUS, MULTI-LEVEL LIGHTING EFFECT IN THE INTERIOR WITHOUT ANY VISIBLE CABLING.



[LV XL HUMIDIFIER MANUAL PDF](#)
[EN, DE, FR, ES, IT](#)

[LV XL HUMIDIFIER INSTALLATION](#)
[VIDEO](#)

FOR HYGIENIC REASONS, WE RECOMMEND REPLACING THE CRYSTALS IN YOUR HUMIDIFIER EVERY TWO TO THREE YEARS. FOR OPTIMAL PERFORMANCE, ALWAYS USE DISTILLED WATER OR ADORINI'S HUMIFIT SOLUTION.

ADORINI ACRYLIC POLYMER
CRYSTALS



ADORINI HUMIFIT
SOLUTION

adorini

Deluxe Humidors & Cigar Accessories

**DO YOU NEED FURTHER
ASSISTANCE?
CONTACT OUR SUPPORT:
INFO@ADORINI.COM**